

अभिरुचि की अभिव्यक्ति (EOI)
नगर विकास एवं आवास विभाग, बिहार, पटना।
कार्यालय, नगर परिषद् झंझारपुर।

अल्पकालीन अभिरुचि की अभिव्यक्ति आमंत्रण सूचना संख्या :- 10/2026-27

पत्रांक...1896

दिनांक...18.09.2026

नगर परिषद् झंझारपुर क्षेत्रान्तर्गत कैमरा अधिष्ठापन के लिए प्रतिष्ठित, अनुभवी एवं योग्य एजेंसियों/आपूर्तिकर्ताओं से कोटेशन (Quotation) प्राप्त करने हेतु अभिरुचि की अभिव्यक्ति आमंत्रित करता है। इच्छुक बोलीदाता बिहार सरकार के ई-प्रोक्योरमेंट पोर्टल eproc2.bihar.gov.in के माध्यम से ऑनलाईन भाग ले सकते हैं।

1. विज्ञापनदाता का नाम एवं पता – कार्यपालक पदाधिकारी,
नगर परिषद् झंझारपुर,।
2. विज्ञापन निर्गत की तिथि – दिनांक- 18-09-2026
3. कोटेशन अपलोड करने की प्रारंभ तिथि/समय – दिनांक- 30-09-2026 को 15:00 बजे से
(On website <https://eproc2.bihar.gov.in>)
4. प्री बीड मीटिंग का समय स्थान/तिथि – दिनांक – 01-10-2026 समय 11.00 बजे
पूर्वा 0 से 04:00 बजे अपराह्न तक
कार्यपालक पदाधिकारी,
नगर परिषद् झंझारपुर का कार्यालय।
5. कोटेशन अपलोड करने की अंतिम तिथि/समय – दिनांक- 06-10-2026 के 15:00 बजे तक
(On website <https://eproc2.bihar.gov.in>)
6. तकनीकी कोटेशन खोलने की तिथि/समय – दिनांक- 09-10-2026 के 15:30 बजे के बाद
(On website <https://eproc2.bihar.gov.in>)

7. कार्य का दायरा (Scope of Work):

Sl. No.	Item Description	Specification	Qty.	Base Rate (INR)	GST (%)	Total Amount with Taxes (INR)
1	CP-UNR-4K564RS-FI, 64 CH, All Network Video Recorder	Up to 64 Channel IP camera input, Max 384 Mbps incoming/Recording/Outgoing bandwidth, H-265, H 264+, H 264, MJPEG codec decoding, 20,000 face Images, AI by cara: Face detection and recognition, ANPR, Sterio analysis, Heat map, People counting, 8 SATA HDDs up to 20 TB each, 4 USB ports (2 front USB 2.0 ports, 2 rear USB 3.0 prts) Support N-M cluster, Mobile, software, ICMOB & CMOB, CMS software: KVMS Pro Lite, Certification LILs/BIS/CE/FCC/IP66, COMPACTIBLE-onvif, Security -HTTPS/IP Filter/IEEE 802.1X	Per Piece			

2	CP Plus Pro 4 MP WDR Vari Focal Bullet 50 Mtr. Network Camera (CPUNC-TC41ZL6-VMDS)	Image Sensor :1/3" 4MP Progressive Scan CMOS, Resolution: 2560x1440 at 25/30 fps, Lens; Motorized vari-focal 2.7 mm-13.5mm,IR Range: 60 Mtr. (Dual Light: Warm Light 30 Mtr. +IR 60 Mtr.) WDR: 120 dB Wide Dynamic Range, Video Compressive: H-265, H264+, MJPEG, Protection : IP 67-rated weatherproof housing, Noise Reduction: 3D-DNR, Power: PoEenabled, Storage: MicroSD card slot,Veiwing: ICMOB, gCMOB, KVMS Pro CMS Compatible, Additional Features: Day/Nightmode, ROI, AWB, AGC, BLC, HLC	Per Piece			
3	CP-UNP-D2521L10-DAQ, 2MP WDR 25X IR Network PTZ Camera-100 Mtr.	1/2.8" 2MP PS CMOS Image Sensor(0.9071 centimetres)Max 2MP (1920x 1080) @ 1-25fps Powerful 25x Optical zoom and 16x Digital zoom, WDR (120dB) Day/Night (ICR), 2D NR/3D NR, Defog AWB, AGC, BLC, HLC Up to 300 Presets, 5 Scan, & 8 Tour, 5 Pattern, Support Starlight Technology, IR Range of 100 Mtr. IP66, PoE, Mobile: Software: iCMOB, gCMOB, CMS Software KVMS Pro Lite, EVMS Pro	Per Piece			
4	CP-DNW-GPU4G2-18C, 4x Gigabit PoE with 2x Gigabit Uplink, Unmanaged	4+2 1000Mbps, RMS ports, Max30W Output of Single Poe Port, Support IEEE 802.3 IEEE 802.3u, IEEE 802.3ab, IEEE 802.3z, IEEE802.3x, Uplink Port: 2, 1000Mbps, Transmission Distance: default: 0-100m, Poe Power hub Budget: 48W,Input:100-240V AC, 50/60Hz	Per Piece			
5	Seagate Skyhawk 10TB Surveillance Internal Hard Disc	Seagate Skyhawk 10TB Surveillance Internal Hard Drive HDD-3.5 Inch SATA 6Gb/s 256MB Cache for DVR NVR Security Camera with Drive Health Management- Frustration (ST10000VX0004)	Per Piece			
6	LG 65UA831COLA ATR-65" 4K UHD	(3340 x 2160) Commercial LED TV, UA831C Series, DLG(16/7 Operation), Google cast, Netflix, AirPlay	Per Piece			
7	DIGISOL GPON OLT 4 PORT	DG-GO4304-4E25FPP privedes 4GE (Copper) and 2 SFP/SFP + (1GE/10GE) slots independent interfaces for uplink and 4* PON ports with each port supporting 128 ONUs under 1:128 split ratio	Per Piece			
8	Digisol GEAPON ONU	DG-GR1010- Digisol GEAPON ONU Router with 1 PON & 1 Giga Port	Per Piece			
9	FIBER JOINTER BOX BIG	FIBER OPTIC JOINT TERMINATION BOX WITH OFC JC	Per Piece			
10	FIBER COPPLER 10-90,30-70-95-05, 5050,1-4, 1-8,	Insertion Loss, Plug Retention force, Durability (1000 Matings),Main Body Material, sleeve material, Telecommunications networks Computer networks Data communications Optical equipment's CATV networks FT	Per Piece			
11	HP Slim Desktop	HP Slim Desktop PC 12th Gen Intel Core i5 (8GB RAM/512GB SSD 125 USB Black Wired	Per Piece			

✓

		Keyboard & Mouse/ Intel UHD Graphics 730/Win 11/MS Office				
12	Microtek LEGEND 1000VA Dual Battery	Microtek LEGEND 1000 LEGEND 1000 230V Line-Interactive Tower Module UPS with Overload Protection 3 Outlet Plugs	Per Piece			
13	3 KVA Online UPS with 6 Battery 12V 42AH	Microtek High Frequency Online UPS 3KVA 1PH:1PH 72V Max+ provides Uninterrupted Power	Per Piece			
14	MASS RACK 22U 600X600 mm Floor Standing Network	Mass Rack 22U 600x600mm Floor Standing Network Rack with Power Strip 6 Socket, Server Tray (2 Nos), Cable Organiser 1U Closed, 4 Fans & Hardware Kit-Cage Nut-Assembly-Combo Pack	Per Piece			
15	6 U Out Door Rack with Hardware	Weatherproof Outdoor Cabinet IP Rated 6U rack- Material: Iron	Per Piece			
16	Rack Mount Hardware 4 Suta 8" Nut Bolt	Rack mounting Fasteners	Per Piece			
17	FIBER PACH CODE 3 MTR SC	Tech Next 3m SC- SC Single Mode Fiber Optic Pach Cable Fiber Cables SC to SC, Sc Optical Connector for Laptop (Yelloe, Blue)	Per Piece			
18	Cat 6 Patch Code 1.5 MTR	Cat & Patch Cable 1.5 Meter Grey UTP LAN Cord, Gigabit Ethernet Molded RJ45 Connectors	Per Piece			
19	SFP Module 1.25 GIGA BIT	1.25 Gigabit Single Mode LC Duplex Transceiver, 1000 Base-LX Dual Fiber SFP Module	Per Piece			
20	Finolex 6 Core Armed Fiber Cable	Finolex 6F 5M Armoured Cable, Single Node Unitube OFC Optical Fiber Cable	Per Piece			
21	Camera Angel 2" 5 Feet	GI Camera Wall Mount Angel	Per Piece			
22	GI Pole 20 Feet 4"	Source 4-Inch, 20 Feet(6-Meter) Galvanized Iron (GI) Poles	Per Piece			
23	GI Pole Grounting Caring Charge Civil Work	Instoallation 4-inch, 20 feet(6 m) GI Pole requires robust civil work to insure it can withstand wind loads and stress. The process typically involves foundation, excavation, base plate installation and concrete pouring.	Per Piece			
24	Dlink CAT 6 Wire full copper 305 m	CAT 6 UTP Cable support Gigabit Ethernet (1000 Base-T) standard, Operates at a bandwidth up to 250 Mhz. This cable well exceeds the requirements of TIA/EIA-568, C.2 Category 6 ISO/IEC Class E	Per Piece			
25	Finolex Electrical 3 Core 1.5 Squaremm Wire	Finolex 1.5 mm 3-Core 100 m Flexible Wlre	Per Piece			

✓

26	Finolex Electrical 2 Switch and 2 Socket 6 Amp.	Finolex 2103 Premium 6/16 A 2- Module Socket (White)	Per Piece			
27	Fiber Splicing Charges Per Core	Fiber Optic Splicing permanently joints two optical fibers end-to-end to allow light signals to pass with minimal loss. The two primary methods are fusion splicing	Per Piece			
28	Fiber Laying Chargs per Mtr.	Laying Fiber-optic cables requires careful planning to protect the delicate glass standard from bending, pulling strain	Per Piece			
29	D-Link Power distribution Unit (PDU) 6 Shocket	D-Link Power Distribution Unit(PDU) Is a device fitted with multiple outputs designed to distribute electric power, especially to racks of computer and networking equipment located within a data centre.	Per Piece			
30	RJ 45 Connector	Flexible Cable Lock for Higher Life, Supports CAT 6 Cable	Per Piece			
31	HDMI Cable 10 Mts 4K	For 4K content at 60 Hz, grab an HDMI 2.0 (High-Speed) cable, If you need 4K at 120HZ for gaming, you must choose an HDMI 2.1 (Ultra High-speed) Cable	Per Piece			
32	Wireless Mouse HP/Dell	Work Seamlessly with a versatile and customizable mouse that is responsibly made. Enhance your experience by connecting with up to devices and moving content across operating system	Per Piece			
33	Camera Installation and commissioning , OLT	Camera Installation and commissioning involve physically mounting the devices and configuring the software, to get started, verify cable continuity, mount cameras at designated spots, and connect them to your NVR or Ethernet (CAT6) cables, Finally, Power on the system and access the main interface to configure networks, user passwords, and recording schedules	Per Piece			

8. पात्रता मानदंड (Eligibility Criteria) :-

बोलीदाता को तकनीकी मूल्यांकन के लिए eproc2 पोर्टल पर निम्नलिखित दस्तावेज स्कैन करके अपलोड करने होंगे।

1. कंमनी/फर्म/आपूर्तिकर्ता का वैध पंजीकरण प्रमाण-पत्र।
2. साझेदार फर्म/कम्पनी के मामले में डीड एवं आर्टिकल्स ऑफ एसोसियेशन की प्रति।
3. पैन कार्ड की प्रति
4. जी0एस0टी0 निबंधन प्रमाण-पत्र की प्रति।

9. जमा करने की प्रक्रिया :-

1. इच्छुक बोलीदाताओं के पास Eproc2 पोर्टल पर लॉगइन करने के लिए वैध UserID, Password और डिजिटल सिग्नेचर सर्टिफिकेट होना अनिवार्य है।
2. सभी तकनीकी दस्तावेज और वित्तीय कोटेशन (BOQ फॉर्मेट में) केवल Eproc2.bihar.gov.in पोर्टल पर ही ऑनलाईन अपलोड करना होगा।
3. ऑफलाईन या हार्ड कॉपी के माध्यम से भेजे गये कोटेशन पर विचार नहीं किया जायेगा।



10. सामान्य नियम एवं शर्त :-

1. सक्षम प्राधिकार को बिना कोई कारण बताए कोटेशन के किसी भी नियम या पूर्ण कोटेशन को स्वीकार या अस्वीकार करने का पूर्ण अधिकार सुरक्षित होगा।
2. कोटेशन की वैधता अवधि खोलने की तारीख से 120 (एक सौ बीस) दिन की होगी।
3. भविष्य में इस कोटेशन से संबंधित कोई भी शुद्धि-पत्र (Corrigendum) या समय-विस्तार केवल Eproc2 पोर्टल पर ही प्रकाशित किया जायेगा।

11. कोटेशनदाताओं के लिए जरूरी फॉर्म ऑनलाइन के माध्यम से :-

1. Form A (Technical Bid/Financial Bid/Price Bid) Eproc2 इसमें कोटेशनदाता अपनी कंपनी का नाम, पता, जी0एस0टी0 नंबर और अपना दर (Rate) विवरणी भरकर अपलोड करेंगे।


कार्यपालक पदाधिकारी,
नगर परिषद झंझारपुर।